Dated: 2019-10-31



**Applicant** Spector & Co

**Address** 

**Sample Description** PEN /STYLUS

**Product Type / End Use** WRITING INSTRUMENT

Item No. 1102

Style No. **MARIO** 

**Supplier** USW021

**Country of Origin** China

**Exported to** Canada & U.S.A.

**Test Sample Receipt Date, Location** 2019-06-17, 2019-06-26, Shenzhen

**Test Period, Location** From 2019-06-17 to 2019-07-08, Shenzhen

Test Result(s) Refer to Section 3

## Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
1.	Materials	Pd55
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*
۷.	Similar Surface-Coating Materials	F d 5 5
3.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
٥.	Materials	F <b>a</b> 55
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*
7.	Surface-Coating Materials	1 033
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
٥.	83 - Total Lead Content Test	F a 5 5
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 –	Pass
0.	Total Lead Content Test	гаээ
7.	Phthalates Content	Pass*

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

E-mail: toys\_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China



Dated: 2019-10-31



No.	Test Item(s)	Conclusion
8.	US California Proposition 65 - Phthalates Content	Pass*
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is

#### Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "\*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>


<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Dated: 2019-10-31



## 1. Description of the Test Sample:



# 2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black soft plastic (Top of pen)	
T2	002	Dull silvery metal (Top of pen)	
Т3	003	Black coating (Barrel of pen)	
T4	004	Silvery metal (Upper barrel of pen)	

Dated: 2019-10-31



T. No.	Sample No.	Colour and Description	Photograph
T5	005	Dull silvery metal (Button of pen)	
T6	006	Dull silvery metal (Connection of barrel)	
Т7	007	Silvery metal (Lower part of barrel)	
Т8	800	Dull silvery metal (Collar of pen)	
Т9	009	Black plastic (Top of core)	
T10	010	Silvery metal (Core of pen)	
T11	011	Silvery metal (Spring of core)	

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 4 of



Dated: 2019-10-31



T. No.	Sample No.	Colour and Description	Photograph
T12	012	Silvery metal (Tip of pen)	
T13	013	Silvery metal (Ball of tip)	
T14	014	Black ink (Ink)	
T15	015	Silver printed black soft plastic (Top of pen)	
T16	016	Shiny silver coating (Barrel of pen)	
T17	017	Deep blue printed black soft plastic (Top of pen)	
T18	018	Shiny deep blue coating (Barrel of pen)	
T19	019	Grey printed black soft plastic (Top of pen)	7 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 6
T20	020	Shiny grey coating (Barrel of pen)	

Dated: 2019-10-31



#### 3. Test Result

## 3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test item	Sample 001+015	Sample 002	Sample 004	Specification [mg/kg]
Cadmium	N.D.	33.9	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		
Test item	Sample 005	Sample 006	Sample 007	Specification [mg/kg]
Cadmium	N.D.	23.2	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		
Test item	Sample 008	Sample 009	Sample 010	Specification [mg/kg]
Cadmium	27.4	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]			Client's
Test item	Sample	Sample	Sample	Specification
	011	012	013	[mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item	Results [mg/kg] Sample 017+019	
Cadmium	N.D.	<75
Conclusion	Pass	-

## Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:
TÜV SÜD Certification and
Testing (China) Co., Ltd.
Shenzhen Branch

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 6 of 17



Dated: 2019-10-31



# 3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

		Results [mg/kg]		
Test Item	Sample 003+016	Sample 014	Sample 018+020	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

### Note:

- "mg/kg" denotes milligram per kilogram

- "<" denotes less than

- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Web: http://www.tuv-sud.cn

Dated: 2019-10-31



#### 3.3 **US California Proposition 65 - Total Lead Content Test - Substrate Materials**

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results	Client's	
Test Item	Sample 001+015	Sample 004	Specification [mg/kg]
Lead	N.D.	20.2	<100
Conclusion	Pass	Pass	-

	Results [mg/kg]		Client's
Test Item	Sample 005	Sample 007	Specification [mg/kg]
Lead	N.D.	N.D.	<100
Conclusion	Pass	Pass	-

	Results [r	Results [mg/kg]	
Test Item	Sample 009	Sample 010	Specification [mg/kg]
Lead	19.3	11.9	<100
Conclusion	Pass	Pass	-

	Results [mg/kg]			Client's
Test Item	Sample 011	Sample 012	Sample 013	Specification [mg/kg]
Lead	N.D.	43.6	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Tost Itom	Results [mg/kg] Sample	Client's Specification
Test Item	017+019	[mg/kg]
Lead	N.D.	<100
Conclusion	Pass	-

## Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-10-31



# 3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 014	Sample 016	Sample 018+020	Specification [mg/kg]
Lead	81.0	N.D.	29.2	<90
Conclusion	Pass	Pass	Pass	-

#### Note:

- "mg/kg" denotes milligram per kilogram

"<" denotes less than</li>

- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-10-31



## 3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]		
Analyte	Sample	Sample	
	001+015	004	
Lead	N.D.	20.2	
Limit	<90		
Conclusion	Pass Pass		

	Result [mg/kg]			
Analyte	Sample	Sample		
	005	007		
Lead	N.D.	N.D.		
Limit	<90	<90		
Conclusion	Pass	Pass		

	Result [	mg/kg]
Analyte	Sample 009	Sample 010
Lead	19.3	11.9
Limit	<9	00
Conclusion	Pass	Pass

	Result [mg/kg]			
Analyte	Sample	Sample	Sample	
	011 012 01			
Lead	N.D.	43.6	N.D.	
Limit	<90			
Conclusion	Pass Pass Pass			

		Result [mg/kg]			
Analyte	Sample	Sample	Sample		
	014	014 016 01			
Lead	81.0	N.D.	N.D.		
Limit		<90			
Conclusion	Pass Pass Pass				

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys\_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn


Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China

Page 10 of 17





Dated: 2019-10-31



#### 3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]
Analyte	Sample
	018+020
Lead	29.2
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

## 3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193
Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	CLID	Result [mg/kg]		
Analyte	Sample 014	Sample 016	Sample 018+020	
Lead	81.0	N.D.	29.2	
Limit		<90		
Conclusion	Pass	Pass Pass Pass		

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Dated: 2019-10-31



## 3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample 001+015	Sample 003+016	Sample 009	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-10-31



#### 3.7 **Phthalates Content**

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

			Results [%	Client's	
Test Items	CAS No.	Sample	Sample	Sample	Specification
		014	017+019	018+020	[%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-10-31



#### **US California Proposition 65 - Phthalates Content** 3.8

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample	Sample	Sample	Specification
		001+015	003+016	009	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

		Results [%]			Client's
Test Items	CAS No.	Sample 014	Sample 017+019	Sample 018+020	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-10-31



## 3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

	CAS No.	Results [%]			Limit
Phthalates		Sample 001+015	Sample 003+016	Sample 009	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-10-31



## 3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

	CAS No.	Results [%]			Limit
Phthalates		Sample 014	Sample 017+019	Sample 018+020	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

<sup>2. &</sup>quot;<" denotes less than

<sup>3. &</sup>quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-10-31



## 3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's	
Test Item	Sample 007	Specification [mg/kg]	
Tungsten	N.D.	-	
Conclusion	Report as is	-	

#### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

