

Test Report No.: 68.431.19.04323.01

Dated: 2019-09-19



**Applicant** : Spector & Co  
**Address** : /  
**Sample Description** : Drawstring with front pocket  
**Product Type / End Use** : Accesory  
**Item No.** : BG600  
**Style No.** : Classic revival  
**Supplier** : USC063  
**Country of Origin** : China  
**Exported to** : Canada & U.S.A.  
**Test Sample Receipt Date, Location** : 2019-08-29, 2019-09-16, Shenzhen  
**Test Period, Location** : From 2019-08-29 to 2019-09-19, Shenzhen  
**Test Result(s)** : Refer to Section 3

**Purpose Of Examination / Conclusion:**

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate Materials	Pass*
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials	Pass*
3.	US California Proposition 65 - Total Lead Content Test - Substrate Materials	Pass*
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials	Pass*
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-83 - Total Lead Content Test	Pass
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 – Total Lead Content Test	Pass
7.	Phthalates Content	Pass*
8.	US California Proposition 65 - Phthalates Content	Pass*

**Laboratory:**  
TÜV SÜD Certification and  
Testing (China) Co., Ltd.  
Shenzhen Branch

Phone : +86 755 8828 6998  
Fax: +86 755 8828 5299  
E-mail: toys\_hardline@tuv-sud.hk  
Web : <http://www.tuv-sud.cn>

Regd. Office:  
TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
Building 12&13, Zhiheng Wisdomland Business Park,  
Nantou Checkpoint Road 2, 518052, P. R. China



No.	Test Item(s)	Conclusion
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is
11.	Canadian Products Containing Mercury Regulations SOR/2014-254 - Total Mercury Content Test	Pass

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "\*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expanded uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch  
 TÜV SÜD Group

Prepared by:

Reviewed by:

*Cara*



*Ken*

<Cara Xiang>  
 <Senior Project Coordinator>

<Ken Chen>  
 <Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

1. Description of the Test Sample:

Sample Description	Drawstring with front pocket
	

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Shiny black metal (Eyelet)	
T2	002	Shiny black metal (Washer of eyelet)	

T. No.	Sample No.	Colour and Description	Photograph
T3	003	Black PU w/ matt black fabric backing (Backpack)	
T4	004	Black coating (Rim of PU)	
T5	005	Shiny black metal (Zipper puller)	
T6	006	Shiny black metal (Zipper head)	
T7	007	Shiny black metal (Zipper teeth)	
T8	008	Black / white coating (Sewn label)	

3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 001	Sample 002	Sample 003	
Cadmium	N.D.	N.D.	N.D.	<75
<b>Conclusion</b>	Pass	Pass	Pass	-

Test item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 005	Sample 006	Sample 007	
Cadmium	N.D.	65.0	N.D.	<75
<b>Conclusion</b>	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 004+008	
Cadmium	N.D.	<75
<b>Conclusion</b>	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

**3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials**

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 001	Sample 002	Sample 003	
Lead	N.D.	N.D.	N.D.	<100
<b>Conclusion</b>	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Client's Specification [mg/kg]
	Sample 005	Sample 006	Sample 007	
Lead	N.D.	43.5	N.D.	<100
<b>Conclusion</b>	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

**3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials**

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 004+008	
Lead	N.D.	<90
<b>Conclusion</b>	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83  
Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]		
	Sample 001	Sample 002	Sample 003
Lead	N.D.	N.D.	N.D.
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]		
	Sample 004+008	Sample 005	Sample 006
Lead	N.D.	N.D.	43.5
Limit	<90		
Conclusion	Pass	Pass	Pass

Analyte	Result [mg/kg]
	Sample 007
Lead	N.D.
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Analyte	Result [mg/kg]
	Sample 004+008
Lead	N.D.
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]		Client's Specification [%]
		Sample 003	Sample 004+008	
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-n-pentylphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1
<b>Conclusion</b>		Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

**3.8 US California Proposition 65 - Phthalates Content**

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

Test Items	CAS No.	Results [%]		Client's Specification [%]
		Sample 003	Sample 004+008	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
<b>Conclusion</b>		Pass	Pass	-

- Note 1. “%” denotes percentage by weight  
 2. “<” denotes less than  
 3. “N.D.” denotes Not Detected with Detection Limit 0.005%



**3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content**

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates  
 [Reporting Limit = 0.005%]

Phthalates	CAS No.	Results [%]		Limit [%]
		Sample 003	Sample 004+008	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
<b>Conclusion</b>		Pass	Pass	-

Note 1. “%” denotes percentage by weight

2. “<” denotes less than

3. “N.D.” denotes Not Detected with Detection Limit 0.005%

**3.10 Tungsten Content Test**

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg]	Client's Specification [mg/kg]
	Sample 001	
Tungsten	N.D.	-
<b>Conclusion</b>	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

**3.11 Total Mercury Content Test**

Products Containing Mercury Regulations SOR/2014-254

With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 001	Sample 002	Sample 003	
Mercury	N.D.	N.D.	N.D.	≤1000
<b>Conclusion</b>	Pass	Pass	Pass	-

Test Item	Results [mg/kg]			Limit [mg/kg]
	Sample 004+008	Sample 005	Sample 006	
Mercury	N.D.	N.D.	N.D.	≤1000
<b>Conclusion</b>	Pass	Pass	Pass	-

Test Item	Results [mg/kg]	Limit [mg/kg]
	Sample 007	
Mercury	N.D.	≤1000
<b>Conclusion</b>	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

2. "≤" denotes less than or equal to

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--