

Applicant	:	SPECTOR
Address	:	1
Sample Description	:	Fabrizio vinyl boxed wine set w/ 4pcs accessories
Product Type / End Use	:	HOME ACCESSORY
Item No.	7	SH103
Style No.	:	FABRIZIO
Supplier	/	USN015
Country of Origin	:	China
Exported to	:	Canada & U.S.A.
Test Sample Receipt Date, Location		2019-09-24, 2019-11-13, 2019-11-20, 2019-12-06, 2019-12-23,Shenzhen
Test Period, Location	:	From 2019-09-24 to 2019-12-25, Shenzhen
Test Result(s)	-	Refer to Section 3

# Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
1.	Materials	F 855
2.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
Ζ.	Materials	F d S S
3.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
5.	83 - Total Lead Content Test	F 033
4.	Phthalates Content (11P)	Pass*
5.	US California Proposition 65 - Phthalates Content (6P)	Pass*
6.	U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates	Pass
0.	Content (8P)	F 033
7.	Tungsten Content Test	Report as is

### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 1 of 1



# Test Report No.: 68.431.19.04593.01

# Dated: 2019-12-26



No.	Test Item(s)	Conclusion
	FDA CFR Title 21 Part 177.2600	
8.	Test for compliance with the selected requirement(s) in U.S. F.D.A.	Pass
	C.F.R. 21. Part 177.2600	
	Total Chromium Content	
0	Test for compliance with the selected requirement(s) in the General Recognized As Safe (GRAS) specification according to United State Food	Pass
9.	Recognized As Safe (GRAS) specification according to United State Food	F 855
	and Drug Administration (US FDA) Regulations on stainless steel	

### Remarks:

(1) The results relate only to the items tested.

(2) Samples are tested as received.

(3) "\*" denotes the conclusion was drawn according to the client's specification.

(4) The test item and samples were specified by the client

(5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

<Cara Xiang> <Senior Project Coordinator>



Reviewed by:

<Ken Chen> <Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 2 of





### 1. Description of the Test Sample:

Sample Description Fabrizio vinyl boxed wine set w/ 4pcs accessories

# 2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Reddish brown PU w/ matt brown fabric backing (Box)	
T2	002	Silvery metal (Rivet of lock)	
Т3	003	Silvery metal (Movable part of lock)	
T4	004	Silvery metal (Upper part of lock)	
T5	005	Silvery metal (Lower part of lock)	
Т6	006	Silvery plated plastic (Handle)	

### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn

### Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 3 of 18



# Test Report No.: 68.431.19.04593.01 Dated: 2019-12-26



T. No.	Sample No.	Colour and Description	Photograph
Τ7	007	Black hook & loop fastener (Velcro)	
Т8	008	Black foam (Tray of tools)	
Т9	009	Black soft plastic (Wine pourer)	
T10	010	Silvery metal (Wine pourer)	
T11	011	Silvery metal (Washer of wine pourer)	
T12	012	Silvery metal (Handle of wine pourer)	
T13	013	Silvery metal (Blade)	
T14	014	Silvery metal (Rotary knob)	č
T15	015	Silvery metal (Wine opener)	
T16	016	Silvery metal (Axle of tools)	• •
T17	017	Silvery metal (Holder of tools)	

### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 4 of 18



# Test Report No.: 68.431.19.04593.01 Dated: 2019-12-26



T. No.	Sample No.	Colour and Description	Photograph
T18	018	Silvery metal (Wine ring)	
T19	019	Black plastic (Opener)	
T20	020	Silvery metal (Pad of opener)	
T21	021	Silvery metal (Axle of pad)	
T22	022	Black PU w/ matt black fabric backing (Box)	

#### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn

### Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 5 of 18





### 3. Test Result

# **3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials** Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Client's		
Test item	Sample 001+022	Sample 002	Sample 003	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]			
Test item	Sample 004	Sample 005	Sample 006	Specification [mg/kg]	
Cadmium	N.D.	N.D.	N.D.	<75	
Conclusion	Pass	Pass	Pass	-	

		Client's		
Test item	Sample	Sample	Sample	Specification
	007	008	009	[mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	F	Client's		
Test item	Sample	Sample	Sample	Specification
	010	011	012	[mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Client's		
Test item	Sample	Sample	Sample	Specification
	013	014	015	[mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

### Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 6 of 1





### 3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			
Test item	Sample 016	Sample 017	Sample 018	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Test item		Results [mg/kg]			Client's
		Sample 019	Sample 020	Sample 021	Specification [mg/kg]
Cadmium		N.D.	N.D.	N.D.	<75
Conclusion		Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than</li>
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 7 of

Page 7 of 18 TÜV®

# Test Report No.: 68.431.19.04593.01 Dated: 2019-12-26



### 3.2 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 001+022	Sample 002	Sample 003	Specification [mg/kg]
Lead	N.D.	N.D.	88.8	<100
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		
Test Item	Sample 004	Sample 005	Sample 006	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Test Item		Client's		
	Sample 007	Sample 008	Sample 009	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]			Client's
Test Item	Sample	Sample	Sample	Specification
	010	011	012	[mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

	F	Client's		
Test Item	Sample 013	Sample 014	Sample 015	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen BranchBuilding 12&13, Zhiheng Wisdomland Business Park,Nantou Checkpoint Road 2, 518052, P. R. ChinaPage 8 of 1





### 3.2 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 016	Sample 017	Sample 018	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Test Item		Results [mg/kg]			Client's
		Sample 019	Sample 020	Sample 021	Specification [mg/kg]
Lead		N.D.	N.D.	N.D.	<100
Conclusion		Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than</li>
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 9 of 18





# 3.3 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample		Sample		
	001+022	002	003		
Lead	N.D.	N.D.	88.8		
Limit		<90			
Conclusion	Pass	Pass	Pass		

		Result [mg/kg]				
Analyte	Sample 004	Sample 005	Sample 006			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

		Result [mg/kg]				
Analyte	Sample 007	Sample 008	Sample 009			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	010	011	012		
Lead	N.D.	N.D.	N.D.		
Limit	<90				
Conclusion	Pass	Pass	Pass		

Analyte		Result [mg/kg]				
	Sample	Sample	Sample			
	013	014	015			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 10 of 1





### 3.3 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample Sa		Sample		
	016	017	018		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

		Result [mg/kg]			
Analyte	Sample	Sample Sample			
	019	019 020			
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 11 of 18





# 3.4 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	<b>b</b> ]	Client's
Test Items	CAS No.	Sample 001*	Sample 007*	Sample 008	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	0.008	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	1	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%
- 4. "\*" denotes samples were received on 2019-11-20

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 12 of 1





### 3.4 Phthalates Content (11P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	<b>b</b> ]	Client's
Test Items	CAS No.	Sample 009	Sample 019	Sample 022*	e Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%
- 4. "\*" denotes sample was received on 2019-11-20

### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 13 of 1





# 3.5 US California Proposition 65 - Phthalates Content (6P)

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	Client's	
Test Items	CAS No.	Sample	Sample	Sample	Specification
		001*	007*	008	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	0.008	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0, 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-
	CLIL				

	JOUL	F	Results [%	•]	Client's
Test Items	CAS No.	Sample 009	Sample 019	Sample 022*	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0, 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0, 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%
- 4. "\*" denotes samples were received on 2019-11-20

### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 14 of 18





# **3.6** U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P) CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%	<b>]</b>	Limit
Phthalates	CAS No.	Sample 001*	Sample 007*	Sample 008	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	0.008	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

4. "\*" denotes samples were received on 2019-11-20

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 15 of 1

Page 15 of 18



# **3.6** U.S. CFR Title 16 Part 1307 - Toys and Childcare Articles - Phthalates Content (8P) CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%	]	Limit
Phthalates	CAS No.	Sample 009	Sample 019	Sample 022*	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

4. "\*" denotes samples was received on 2019-11-20

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 16 of 1

Page 16 of 18



### 3.7 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 017	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

### 3.8 FDA CFR Title 21 Part 177.2600

Test for compliance with the selected requirement(s) in U.S. F.D.A. C.F.R. 21. Part 177.2600

SIMULANT USED	TEST CONDITIONS	RESULTS [mg/in <sup>2</sup> ] SAMPLE	CFR Specification
	CONDITIONS	009	[mg/in²]
Distilled water	Reflux for 7 hours	1.3	20
n-hexane	Reflux for 7 hours	12.4	175
Distilled water	Reflux for 2 hours	<0.1	1
n-hexane	Reflux for 2 hours	0.6	4
Conclusion		Pass	-

Note:

- 1. "mg/in<sup>2</sup>" denotes milligram per square inch
- 2. "<" denotes less than
- 3. The specification is quoted from U.S. F.D.A. C.F.R. 21. Part 177.2600

#### Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 17 of 18





### 3.9 Total Chromium Content

Test for compliance with the selected requirement(s) in the General Recognized As Safe (GRAS) specification according to United State Food and Drug Administration (US FDA) Regulations on stainless steel

Test Method: Digested by acid and analyzed by Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)

		Results [%]				
Analyte	Sample 010*	Sample 011*	Sample 012*			
Total Chromium(Cr)	18.37	18.69	18.38			
Limit		Not less than 16				
Conclusion	Pass	Pass	Pass			

Analyte	Results [%]	
	Sample	
	018*	
Total Chromium(Cr)	18.17	
Limit	Not less than 16	
Conclusion	Pass	

Note:

- "%" denotes percentage by weight

- "\*" denotes samples 010 was received on 2019-12-23

samples 011 was received on 2019-12-06

samples 012 & 018 were received on 2019-11-13

-- END OF TEST REPORT--

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone : +86 755 8828 6998 Fax: +86 755 8828 5299 E-mail: toys\_hardline@tuv-sud.hk Web : http://www.tuv-sud.cn Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China Page 18 of 1

