

Dated: 2019-09-30



Applicant : Spector & Co

Address :

Sample Description : 2 in 1 pen holder and wireless charger

Item No. : TOBI

P.O. No.

Style No. : T1043

Supplier : USU019

Country of Origin : China

Exported to : Canada & U.S.A.

Test Sample Receipt Date, Location : 2019-09-19, Shenzhen

Test Period, Location : From 2019-09-23 to 2019-09-29, Shenzhen

Test Result(s) : Refer to Section 3

Dated: 2019-09-30



Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
١.	Materials	F a55
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*
۷.	Similar Surface-Coating Materials	1 400
3.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
J.	Materials	1 433
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*
	Surface-Coating Materials	1 433
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
	83 - Total Lead Content Test	1 433
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 –	Pass
<u> </u>	Total Lead Content Test	1 433
7.	Phthalates Content	Pass*
8.	US California Proposition 65 - Phthalates Content	Pass*
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is
11.	Canadian Products Containing Mercury Regulations SOR/2014-254 -	Pass
11.	Total Mercury Content Test	1 033

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

Dated: 2019-09-30



TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>
<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Dated: 2019-09-30



1. Description of the Test Sample:

Sample Description	2 in 1 pen holder and wireless charger

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Transparent / black coating (Pen holder)	
T2	002	Transparent plastic (Pen holder)	456789601234567897012345678980123
Т3	003	Silvery metal (Large socket)	
T4	004	Matt black plastic (Inner large socket)	
T5	005	Black PVC (Large plug)	
T6	006	Black PVC (USB cable)	
T7	007	Black PVC (Small plug)	
Т8	008	Silvery metal (Big plug)	
Т9	009	Off white plastic (Inner big plug)	
T10	010	Silvery metal (Small plug)	
T11	011	Black plastic (Inner small plug)	

Dated: 2019-09-30



T. No.	Sample No.	Colour and Description	Photograph
T12	012	Black / orange printed plastic (Inner large plug)	WARNING TO THE CONTRIBUTION OF THE CONTRIBUTIO



Dated: 2019-09-30



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Results [mg/kg	ı]	Client's
Test item	Sample 002+004+009	Sample 003	Sample 005+006+007	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	I	Results [mg/kg	Client's	
Test item	Sample 008	Sample 010	Sample 011	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]	Client's
Test item	Sample	Specification
	012	[mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-09-30



3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

Test Item	Results [mg/kg] Sample	Client's Specification
	001	[mg/kg]
Cadmium	N.D.	<75
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram

- "<" denotes less than

- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-09-30



3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	F	Results [mg/kg]		Client's
Test Item	Sample 002+004+009	Sample 003	Sample 005+006+007	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		Client's
Test Item	Sample 008	Sample 010	Sample 011	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]	Client's
Test Item	Sample	Specification
	012	[mg/kg]
Lead	N.D.	<100
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-09-30



3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample	Specification
	001	[mg/kg]
Lead	N.D.	<90
Conclusion	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-09-30



3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]					
Analyte	Sample	Sample	Sample			
	001	002+004+009	003			
Lead	N.D.	N.D.				
Limit	<90					
Conclusion	Pass	Pass	Pass			

		Result [mg/kg]			
Analyte	Sample	Sample	Sample		
	005+006+007	008	010		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

	Result	[mg/kg]			
Analyte	Sample 011	Sample 012			
Lead	N.D.	N.D.			
Limit	<9	<90			
Conclusion	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Dated: 2019-09-30



3.6 **Total Lead Content Test**

Surface Coating Materials Regulations SOR/2016-193 Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Result [mg/kg]
Analyte	Sample
	001
Lead	N.D.
Limit	<90
Conclusion	Pass

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-09-30



3.7 **Phthalates Content**

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		F	Results [%	Client's	
Test Items	CAS No.	Sample 001	Sample 002+004 +009	Sample 005+006 +007	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion	•	Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-09-30



3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Resul	ts [%]	Client's
Test Items	CAS No.	Sample 011	Sample 012	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-09-30



3.8 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]			Client's
Test Items	CAS No.	Sample 001	Sample 002+004 +009	Sample 005+006 +007	Specification [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Conclusion	GIII	Pass	Pass	Pass	-

		Resul	ts [%]	Client's	
Test Items	CAS No.	Sample 011	Sample 012	Specification [%]	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1	
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	<0.1	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	-	

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Nantou Checkpoint Road 2, 518052, P. R. China

Dated: 2019-09-30



3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		F	Results [%		
Phthalates	CAS No.	Sample 001	Sample 002+004 +009	Sample 005+006 +007	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	Pass	-

Note 1. "%" denotes percentage by weight

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-09-30



3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Resul	ts [%]	Limit
Phthalates	CAS No.	Sample 011	Sample 012	[%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	_

Note 1. "%" denotes percentage by weight

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-09-30



3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission

Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 008	Specification [mg/kg]
Tungsten	17.70	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.11 Total Mercury Content Test

Products Containing Mercury Regulations SOR/2014-254

With reference to IEC 62321-4:2017, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).[Reporting Limit: 10mg/kg]

Test Item	Sample	Sample	Sample	Limit [mg/kg]
	001	002+004+009	003	
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]			
Test Item	Sample 005+006+007	Sample 008	Sample 010	Limit [mg/kg]
Mercury	N.D.	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	Pass	-

	Results		
Test Item	Sample	Sample	Limit [mg/kg]
	011	012	
Mercury	N.D.	N.D.	≤1000
Conclusion	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "≤" denotes less than or equal to
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China

Page 17 of 17