

Dated: 2019-10-10



Applicant Spector & Co

Sample Description Fabrizio 3 in 1 bottle opener

Product Type / End Use HOME ACCESSORY

PO / Order No. N/A

Item No. EC132/EC1321/08EC132

Style No. **FABRIZIO**

USN015 Supplier

Country of Origin China

Canada & U.S.A. **Exported to**

Test Sample Receipt Date, Location 2019-09-24, Shenzhen

Test Period, Location From 2019-09-24 to 2019-10-10, Shenzhen

Test Result(s) Refer to Section 3

Purpose Of Examination / Conclusion:

No.	Test Item(s)	Conclusion
1.	US California Proposition 65 - Total Cadmium Content Test - Substrate	Pass*
1.	Materials	Pass
2.	US California Proposition 65 - Total Cadmium Content Test - Paint and	Pass*
۷.	Similar Surface-Coating Materials	F d 5 5
3.	US California Proposition 65 - Total Lead Content Test - Substrate	Pass*
٥.	Materials	F d 5 5
4.	US California Proposition 65 - Total Lead Content Test - Paint and Similar	Pass*
4.	Surface-Coating Materials	F a55
5.	Canadian Consumer Products Containing Lead Regulations SOR/2018-	Pass
5.	83 - Total Lead Content Test	rass
6.	Canadian Surface Coating Materials Regulations SOR/2016-193 –	Pass
0.	Total Lead Content Test	F d55
7.	Phthalates Content	Pass*

Laboratory:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Phone: +86 755 8828 6998 Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch

Building 12&13, Zhiheng Wisdomland Business Park, Nantou Checkpoint Road 2, 518052, P. R. China



Dated: 2019-10-10



No.	Test Item(s)	Conclusion
8.	US California Proposition 65 - Phthalates Content	Pass*
9.	U.S. CFR Title 16 Part 1307 - Phthalates Content	Pass
10.	Tungsten Content Test	Report as is
11.	Canadian Surface Coating Materials Regulations SOR/2016-193 - Total Mercury Content Test	Pass

Remarks:

- (1) The results relate only to the items tested.
- (2) Samples are tested as received.
- (3) "*" denotes the conclusion was drawn according to the client's specification.
- (4) The test item and samples were specified by the client
- (5) "Pass" means the measured result is within a limit, even when extended by expanded uncertainty. "Fail" means the measured result is beyond a limit, even when extended by expanded uncertainty. "Inconclusive" means the measured result can be within or beyond a limit when extended by expanded uncertainty. The confidence level of the expended uncertainty for "pass", "Fail" and "Inconclusive" is 95%.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch TÜV SÜD Group

Prepared by:

Reviewed by:

<Cara Xiang>

<Senior Project Coordinator>

<Ken Chen>

<Project Manager>

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Dated: 2019-10-10



1. Description of the Test Sample:

Sample Description Fabrizio 3 in1 bottle opener

2. List of Materials as identified by the Laboratory:

T. No.	Sample No.	Colour and Description	Photograph
T1	001	Black PU (Bag)	
T2	002	Black coating (Edge)	
Т3	003	Reddish brown PU (Bag)	5 7 8 9 60 1 2 3 4 5 6 7 8 9 70 1 2 3 4 5 6 7 8 9 80 1 2 3 4 5 6 7 8
T4	004	Silver color metal (Upper snap)	
T5	005	Silver color metal (Back of upper snap)	
T6	006	Silver color metal (Lower snap)	
T7	007	Silver color metal (Back of lower snap)	6 7 8 9 60 1 2 3 4 5 6 7 8 9 70 1 2 3 4 5 6 7 8 9 80 1 2 3 4 5
Т8	008	Silver color metal (Cover of opener)	
Т9	009	Silver color metal (Axis on cover)	
T10	010	Silver color metal (Wine opener)	
T11	011	Silver color metal (Axis on wine opener)	
T12	012	Silver color metal (Holder)	
T13	013	Silver color metal (Blade)	*
T14	014	Golden color metal (Axis)	7 8 9 50 1 2 3 4 5 6 7 8 9 60 1 2 3 4 5 6 7 8 9 70 1 2 3 4 5 6 7
T15	015	Transparent coating (On wood)	

Dated: 2019-10-10



3. Test Result

3.1 US California Proposition 65 - Total Cadmium Content Test - Substrate Materials

Test method: Acid digestion/Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test item	Sample 001+003	Sample 004	Sample 005	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]			
Test item	Sample 006	Sample 007	Sample 008	Specification [mg/kg]	
Cadmium	N.D.	N.D.	N.D.	<75	
Conclusion	Pass	Pass	Pass	-	

	Results [mg/kg]			Client's
Test item	Sample 009	Sample 010	Sample 011	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

	Results [mg/kg]			Client's
Test item	Sample 012	Sample 013	Sample 014	Specification [mg/kg]
Cadmium	N.D.	N.D.	N.D.	<75
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998
Fax: +86 755 8828 5299
E-mail: toys_hardline@tuv-sud.hk
Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-10-10



3.2 US California Proposition 65 - Total Cadmium Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results	Results [mg/kg]		
Test Item	Sample 002	Sample 015	Specification [mg/kg]	
Cadmium	N.D.	N.D.	<75	
Conclusion	Pass	Pass	-	

Note:

- "mg/kg" denotes milligram per kilogram

- "<" denotes less than

- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-10-10



3.3 US California Proposition 65 - Total Lead Content Test - Substrate Materials

Test method: Acid digestion or Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]			Client's
Test Item	Sample 001+003	Sample 004	Sample 005	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

		Results [mg/kg]		
Test Item	Sample 006	Sample 007	Sample 008	Specification [mg/kg]
Lead	N.D.	N.D.	N.D.	<100
Conclusion	Pass	Pass	Pass	-

Sample	Sample	0	□
009	010	Sample 011	Specification [mg/kg]
N.D.	N.D.	N.D.	<100
Pass	Pass	Pass	-
	N.D.	N.D. N.D.	N.D. N.D. N.D.

	Results [mg/kg]			Client's
Test Item	Sample 012	Sample 013	Sample 014	Specification [mg/kg]
Lead	N.D.	N.D.	15.4	<100
Conclusion	Pass	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

Dated: 2019-10-10



3.4 US California Proposition 65 - Total Lead Content Test - Paint and Similar Surface-Coating Materials

Test method: Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	 0 0.		
	Results [mg/kg]		Client's
Test Item	Sample	Sample	Specification
	002	015	[mg/kg]
Lead	N.D.	N.D.	<90
Conclusion	Pass	Pass	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-10-10



3.5 Total Lead Content Test

Consumer Products Containing Lead Regulations SOR/2018-83 Acid digestion / Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

[Reporting Limit: 10.0mg/kg]

	Result [mg/kg]				
Analyte	Sample	Sample	Sample		
	001+003	002	004		
Lead	N.D.	N.D.	N.D.		
Limit		<90			
Conclusion	Pass	Pass	Pass		

,	/	Result [mg/kg]				
Analyte	Sample	Sample	Sample			
	005	006	007			
Lead	N.D.	N.D.	N.D.			
Limit		<90				
Conclusion	Pass	Pass	Pass			

		Result [mg/kg]					
Analyte	Sample 008						
Lead	N.D.	N.D.	N.D.				
Limit		<90					
Conclusion	Pass	Pass Pass Pass					

Analyte	Sample	Sample			
	011	012	013		
Lead	N.D.	N.D.	N.D.		
Limit	<90				
Conclusion	Pass Pass Pass				

	Result	[mg/kg]			
Analyte	Sample	Sample			
	014	015			
Lead	15.4	N.D.			
Limit	<	<90			
Conclusion	Pass	Pass			

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

Laboratory: TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Phone: +86 755 8828 6998

Fax: +86 755 8828 5299

E-mail: toys_hardline@tuv-sud.hk

Web: http://www.tuv-sud.cn

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shenzhen Branch Building 12&13, Zhiheng Wisdomland Business Park,

Nantou Checkpoint Road 2, 518052, P. R. China Page 8 of 13



Dated: 2019-10-10



3.6 Total Lead Content Test

Surface Coating Materials Regulations SOR/2016-193

Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-

OES). [Reporting Limit: 10.0mg/kg]

<u> </u>		[mg/kg]		
Analyte	Sample	Sample		
	002	015		
Lead	N.D.	N.D.		
Limit	<	<90		
Conclusion	Pass	Pass		

Note 1. "mg/kg" denotes milligram per kilogram

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg



Dated: 2019-10-10



3.7 Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Resul	Client's	
Test Items	CAS No.	Sample 001+003	Sample 002+015	Specification [%]
Di-(2-ethylhexyl)-phthalat (DEHP)	117-81-7	N.D.	N.D.	<0.1
Dibutylbenzylphthalat (DBP)	84-74-2	N.D.	N.D.	<0.1
Diethyl phthalate (DEP)	84-66-2	N.D.	N.D.	<0.1
Butylbenzylphthalat (BBP)	85-68-7	N.D.	N.D.	<0.1
Di-iso-butylphthalat (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-isononyl phthalate (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-isodecylphthalat (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1
Di-n-octylphthalat (DNOP)	117-84-0	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DnHP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-n-pentyphthalat (DNPP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

3. "N.D." denotes Not Detected with Detection Limit 0.005%

^{2. &}quot;<" denotes less than

Dated: 2019-10-10



3.8 US California Proposition 65 - Phthalates Content

Test method: In-house method, solvent extracted and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting limit: 0.005%]

		Results [%]		Client's	
Test Items	CAS No.	Sample 001+003	Sample 002+015	Specification [%]	
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1	
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1	
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1	
Di-isodecyl phthalate, (DIDP)	26761-40-0 , 68515-49-1	N.D.	N.D.	<0.1	
Di-n-hexyl phthalate (DNHP)	84-75-3	N.D.	N.D.	<0.1	
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1	
Conclusion		Pass	Pass	-	

Note 1. "%" denotes percentage by weight

2. "<" denotes less than

3. "N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-10-10



3.9 U.S. CFR Title 16 Part 1307 - Phthalates Content

CPSC-CH-C1001-09.4 – Standard Operating Procedure for Determination of Phthalates [Reporting Limit = 0.005%]

		Resul	Results [%]	
Phthalates	CAS No.	Sample 001+003	Sample 002+015	Limit [%]
Dibutyl phthalate, (DBP)	84-74-2	N.D.	N.D.	<0.1
Benzyl butyl phthalate, (BBP)	85-68-7	N.D.	N.D.	<0.1
Bis (2-ethylhexyl) phthalate, (DEHP)	117-81-7	N.D.	N.D.	<0.1
Diisobutylphthalate, (DIBP)	84-69-5	N.D.	N.D.	<0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	N.D.	<0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	N.D.	<0.1
Di-isononyl phthalate, (DINP)	28553-12-0 , 68515-48-0	N.D.	N.D.	<0.1
Di-n-pentyl phthalates (DPENP)	131-18-0	N.D.	N.D.	<0.1
Conclusion		Pass	Pass	-

Note 1. "%" denotes percentage by weight

^{2. &}quot;<" denotes less than

^{3. &}quot;N.D." denotes Not Detected with Detection Limit 0.005%

Dated: 2019-10-10



3.10 Tungsten Content Test

Test method: EPA 3050B:1996, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10.0mg/kg]

	Results [mg/kg]	Client's
Test Item	Sample 012	Specification [mg/kg]
Tungsten	N.D.	-
Conclusion	Report as is	-

Note:

- "mg/kg" denotes milligram per kilogram
- "<" denotes less than
- "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

3.11 Total Mercury Content Test

Surface Coating Materials Regulations SOR/2016-193
Microwave Digestion, analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES). [Reporting Limit: 10mg/kg]

Test Item	Results [mg/kg]		Limit
	Sample 002	Sample 015	[mg/kg]
Mercury	N.D.	N.D.	<10
Conclusion	Pass	Pass	-

Note 1. "mg/kg" denotes milligram per kilogram

- 2. "<" denotes less than
- 3. "N.D." denotes Not Detected with Detection Limit 10.0mg/kg

-- END OF TEST REPORT--