

Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 1 of 11

USC056 Applicant:

Address:

Report on the submitted sample(s) said to be:

Sample Name: **USB** Booklight

PB-1342; LT91109 Sample Model:

Brand Name:

USC056 Manufacturer:

Address:

Oct.27, 2015

Sample Received Date: Oct.27, 2015 to Nov.03, 2015

Testing Period:

Test Requested: Please refer to following page(s). Please refer to following page(s). **Test Method:** Please refer to following page(s). **Test Result:**

Tested by: Telix. Li

Jiangyuncheng, Jason

Reviewed by:

Liwenlong, Felix.Li

Test Engineer

Laboratory Manager

Liangdan, Jessie.Liang

Technical Supervisor



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.

No.1501C www.agc-cert.com





Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 2 of 11

Test Requested: Conclusion 1.As specified by client, to determine the Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs content in the submitted sample in accordance with EU RoHS Directive 2011/65/EU(RoHS) Pass and its amendment directives on XRF and Chemical Method. 2. As specified by client, to determine the Pb and Cd content in the submitted sample in Pass accordance with California Proposition 65. 3. As specified by client, to determine the phthalates content in the submitted sample in **Pass** accordance with California Proposition 65.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com. No.1501C







Report No.: A001R20151027024-1 Date: Nov.03, 2015

Test Results:

1. EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321 Ed 1.0, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq.	Tested Part(s)	Results(mg/kg)						
No.		Cd	Pb	Hg	Cr	Br		
17	Green soft plastic shell (shell)	BL	BL	BL	BL	BL		
2	White plastic shell (shell)	BL	BL	BL	BL	BL		
3	White plastic lampshade (shell)	BL	BL	BL	BL	BL		
4	Aluminium (shell)	BL	BL	BL	BL	lion of -		
5	White latex (shell)	BL	BL	BL	BL	BL		
6	CHIP LED	BL	BL	BL	BL	BL		
7	Chip resistor	BL	BL	BL	BL	BL		
8	Soldering tin	BL	BL	BL	BL	O -m		
9	PCB board (aluminium plate)	BL	BL	BL	BL	-		
10	White plastic wire jacket	BL	BL	BL	BL	BL		
11	Iron wire	BL	BL	BL	BL	-		
12	Red enameled wire	BL	BL	BL	BL	₹.C		
13	Blue enameled wire	BL	BL	BL	BL			
14	White hose lining	BL	BL	BL	BL	BL		
15	Silver metal shell	BL	BL	BL	BL	Festation of Globa		
16	White plastic sheet	BL	BL	BL	BL	BL		
17	Silver meta lead foot	BL	BL	BL	BL	- 100		
18	White soft plastic shell	BL	BL	BL	BL	BL		
19	Black soft plastic shell	BL	BL	BL	BL	BL		
20	Red soft plastic shell	BL	BL	BL	BL	BL		
21	Blue soft plastic shell	BL	BL	BL	BL	BL		

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com. No.1501C







Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 4 of 11

			The completions	The Williams of The Williams		
Element	Unit	Non-metal	Metal	Composite Material		
Cd	mg/kg	BL≤70-3σ <x <130+3σ<ol< td=""><td>BL≤70-3σ<x <130+3σ≤OL</x </td><td>BL≤50-3σ<x <150+3σ<ol< td=""></ol<></x </td></ol<></x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ<ol< td=""></ol<></x 		
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x 		
Hg	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x 		
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>		
Br	mg/kg	BL≤300-3σ <x< td=""><td>The State of the S</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	The State of the S	BL≤250-3σ <x< td=""></x<>		

Note: BL= Below Limit

OL= Over limited X= Inconclusive "-"= Not regulated

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.

No.1501C





^{*=} Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.



Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 5 of 11

Remark:

- Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321 Ed 1.0.
- ii The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)					
Cadmium (Cd)	100					
Lead (Pb)	1000					
Mercury (Hg)	1000					
Hexavalent Chromium (Cr(VI))	1000					
Polybrominated biphenyls (PBBs)	1000					
Polybrominated diphenylethers (PBDEs)	1000					

Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.







Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 6 of 11

2. Test result of Pb and Cd conent

Total Lead and Cadmium content in accessible substrate material (non-metal)

Unit: mg/kg

Total Land	Test Method/ Equipment	MDI	Result(s)					Client's	
Test Item(s)		MDL	1-1	1-2	1-3	1-4	1-5	1-6	limit
Total Lead (Pb)	Refer to CPSC-CH-E1002-08.3 AAS	5	N.D.	58	N.D.	36	N.D.	N.D.	200
Cadmium (Cd)	Refer to EPA 3052-1996 AAS	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	200
Conclusion	The Country I The State of the Country of the Count	/	Pass	Pass	Pass	Pass	Pass	Pass	1

Note: 1. MDL=Method Detection Limit

2. N.D.=Not Detected(less than method detection limit)

3. mg/kg = ppm=parts per million

4. As specified by client, only test the designated sample.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.

No.1501C

www.agc-cert.com





Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 7 of 11

3. Test result of phthalates conent

Unit: %,w/w

- A Barrer - Barrer d'action	Test Method/ Equipment	MDL	Result(s)			
Test items			1-1	1-2	1-3	Limit
Dibutyl Phthalate(DBP)	(10) 10 10 10 10 10 10 10	0.01	N.D	N.D	N.D	0.1
Benzylbutyl Phthalate(BBP)	and distances	0.01	N.D	N.D	N.D	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	Refer to CPSC-CH-C1001-09.3 GC-MS	0.01	N.D	N.D	N.D	0.1
Di-n-hexyl phthalate(DNHP)		0.01	N.D	N.D	N.D	0.1
Di-isononyl phthalate (DINP)		0.01	N.D	N.D	0.05	0.1
Di-isodexyl Phthalate(DIDP)	Ford Country Com	0.01	N.D	N.D	N.D	0.1
Conclusion			Pass	Pass	Pass	/ 4
Di-n-octyl phthalate (DNOP)*		0.01	N.D	N.D	N.D	0.1


Unit: %,w/w

Francisco CO	Test Method/	al LEPT	Result(s)			mplance
Test items	Equipment	MDL	1-4	1-5	1-6	Limit
Dibutyl Phthalate(DBP)	of Clobar C	0.01	N.D	N.D	N.D	0.1
Benzylbutyl Phthalate(BBP)	GO	0.01	N.D	N.D	N.D	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	Refer to	0.01	N.D	N.D	N.D	0.1
Di-n-hexyl phthalate(DNHP)		0.01	N.D	N.D	N.D	0.1
Di-isononyl phthalate (DINP)	CPSC-CH-C1001-09.3 GC-MS	0.01	N.D	N.D	N.D	0.1
Di-isodexyl Phthalate(DIDP)		0.01	N.D	N.D	N.D	0.1
Conclusion	110	1 %	Pass	Pass	Pass	
Di-n-octyl phthalate (DNOP)*	C Silling and the Control of Cont	0.01	N.D	N.D	N.D	0.1

Note:

- $1. \ 0.1\%, \text{w/w} = 1000 \text{mg/kg}$
- 2. MDL=method detection limit
- 3. N.D.=not detected (less than method detection limit)
- 4. "-" =Not regulated
- 5. *= As specified by client, this item is extra testing, this item is not included in above test requested.
- 6. As specified by client, only test the designated sample.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.








Date: Nov.03, 2015 Report No.: A001R20151027024-1 Page 8 of 11

Sample Description


1	USB Booklight,		CO CO
1-1	White plastics	1-4	Blue soft plastic
1-2	Green soft plastic	1-5	White soft plastic
1-3	Black soft plastic	1-6	Red soft plastic

Test Flow Chart

1.For Pb & Cd



2.For phthalates



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.


No.1501C www.agc-cert.com






Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 9 of 11

The photo of the sample






The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.








Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 10 of 11






The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.








Report No.: A001R20151027024-1 Date: Nov.03, 2015 Page 11 of 11





AGC authenticate the photo only on original report

*** End of Report ***

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cert.com.



